

Dell Price

Estimated Value

Total Savings

View Delivery Dates ()



COMPONENTS

Option	Selection	SKU / Product Code	Quantity			
PowerEdge R750XA Server	[210-AYRK] / G294IXA	1	Base	PowerEdge R750XA Server	[210-AYRK] / G294IXA	1
Trusted Platform Module 2.0 V3	[461-AAIG] / GGX1VDO	1	Trusted Platform Module	Trusted Platform Module 2.0 V3	[461-AAIG] / GGX1VDO	1
2.5" Chassis with up to 8 SAS/SATA Drives	[321-BGKG] / GGON52P	1	Chassis	2.5" Chassis with up to 8 SAS/SATA Drives	[321-BGKG] / GGON52P	1
Very High Performance Fan	[750-ADEP] / G8LP5MI	1	Fans	Very High Performance Fan	[750-ADEP] / G8LP5MI	1
PowerEdge R750XA Shipping	[340-CUYU] / GCH6R9A	1	SHIPPING	PowerEdge R750XA Shipping	[340-CUYU] / GCH6R9A	1
PowerEdge R750XA Shipping Material	[481-BBFK] / GMG9IUZ	1	Shipping Material	PowerEdge R750XA Shipping Material	[481-BBFK] / GMG9IUZ	1
PowerEdge R750XA CE and BIS Marking, No CCC Marking on 2.5" Chassis	[389-DYLT][389-DYLV] / G5WGTOM	1	Regulatory	PowerEdge R750XA CE and BIS Marking, No CCC Marking on 2.5" Chassis	[389-DYLT][389-DYLV] / G5WGTOM	1
None			OEM Regulatory	None		
Intel® Xeon® Platinum 8358 2.6G, 32C/64T, 11.2GT/s, 48M Cache, Turbo, HT (250W) DDR4-3200	[338-CBCH] / G61X2LS	1	Processor	Intel® Xeon® Platinum 8358 2.6G, 32C/64T, 11.2GT/s, 48M Cache, Turbo, HT (250W) DDR4-3200	[338-CBCH] / G61X2LS	1
Intel® Xeon® Platinum 8358 2.6G, 32C/64T, 11.2GT/s, 48M Cache, Turbo, HT (250W) DDR4-3200	[338-CBCH][379-BDCO] / G629DFY	1	Additional Processor	Intel® Xeon® Platinum 8358 2.6G, 32C/64T, 11.2GT/s, 48M Cache, Turbo, HT (250W) DDR4-3200	[338-CBCH][379-BDCO] / G629DFY	1
Heatsink for 2 CPU	[412-AAWO] / GD4MZJ5	1	Processor Thermal Configuration	Heatsink for 2 CPU	[412-AAWO] / GD4MZJ5	1

Option	Selection	SKU / Product Code	Quantity				
3200MT/s RDIMMs	[370-AEVR] / GR3CFNV	1	Memory DIMM Type and Speed	3200MT/s RDIMMs	[370-AEVR] / GR3CFNV	1	
Performance Optimized	[370-AAIP] / GH9QBEI	1	Memory Configuration Type	Performance Optimized	[370-AAIP] / GH9QBEI	1	
64GB RDIMM, 3200MT/s, Dual Rank, 16Gb	[370-AEVP] / GQC5KJW	16	Memory <sup>i</sup>	64GB RDIMM, 3200MT/s, Dual Rank, 16Gb	[370-AEVP] / GQC5KJW	16	
C7, Unconfigured RAID for HDDs or SSDs (Mixed Drive Types Allowed)	[780-BCDS] / GJ45ICY	1	RAID	C7, Unconfigured RAID for HDDs or SSDs (Mixed Drive Types Allowed)	[780-BCDS] / GJ45ICY	1	
Front PERC H755 Rear Load	[405-AAZB][750-ACFQ] / GKND8X	1	RAID/Internal Storage Controllers	Front PERC H755 Rear Load	[405-AAZB][750-ACFQ] / GKND8X	1	
1.92TB SSD vSAS Mixed Use 12Gbps 512e 2.5in Hot-Plug ,AG Drive SED, 3DWP	[345-BCSK] / G2AC7Q1	8	Hard Drive	1.92TB SSD vSAS Mixed Use 12Gbps 512e 2.5in Hot-Plug ,AG Drive SED, 3DWP	[345-BCSK] / G2AC7Q1	8	
BOSS Blank	[329-BERC] / G74DI3A	1	Boot Optimized Storage Cards	BOSS Blank	[329-BERC] / G74DI3A	1	
No Operating System	[611-BBBF] / G78MU35	1	Operating System	No Operating System	[611-BBBF] / G78MU35	1	
No Media Required	[605-BBFN] / GKH7AZI	1	OS Media Kits	No Media Required	[605-BBFN] / GKH7AZI	1	
iDRAC9, Express 15G	[385-BBOU] / GXWHJR2	1	Embedded Systems Management (Multi)	iDRAC9, Express 15G	[385-BBOU] / GXWHJR2	1	
iDRAC Group Manager, Disabled	[379-BCQY] / GTVA94K	1	Group Manager	iDRAC Group Manager, Disabled	[379-BCQY] / GTVA94K	1	
iDRAC,Factory Generated Password	[379-BCSF] / G2T768J	1	Password	iDRAC,Factory Generated Password	[379-BCSF] / G2T768J	1	
None			IDRAC Service Module	None			
Broadcom 57504 Quad Port 10/25GbE,SFP28, OCP NIC 3.0	[540-BCRX] / GAKY4CT	1	OCP 3.0 Network Adapters	Broadcom 57504 Quad Port 10/25GbE,SFP28, OCP NIC 3.0	[540-BCRX] / GAKY4CT	1	
Broadcom 57414 Dual Port 10/25GbE SFP28 Adapter, PCIe Low Profile, V2	[540-BDGV] / G7BFQ2Y	1	Additional Network Cards	Broadcom 57414 Dual Port 10/25GbE SFP28 Adapter, PCIe Low Profile, V2	[540-BDGV] / G7BFQ2Y	1	

Option	Selection	SKU / Product Code	Quantity			
Dell Networking, Cable, SFP28 to SFP28, 25GbE, Passive Copper Twinax Direct Attach Cable, 3 Meter	[470-ACEV] / GU0B9PV	6	Optics & Cables for Network Cards	Dell Networking, Cable, SFP28 to SFP28, 25GbE, Passive Copper Twinax Direct Attach Cable, 3 Meter	[470-ACEV] / GU0B9PV	6
None			IDSDM Card Reader	None		
None			Additional Software	None		
None			Internal SD Module	None		
Dual, Hot-Plug,Power Supply Fault Tolerant Redundant (1+1), 2400W, Mixed Mode	[450-AJEV] / G4Z7BID	1	Power Supply	Dual, Hot-Plug,Power Supply Fault Tolerant Redundant (1+1), 2400W, Mixed Mode	[450-AJEV] / G4Z7BID	1
C19 to C20, PDU Style, 2.5M Power Cord, North America	[450-AEJI] / G0W3NXF	2	Power Cords	C19 to C20, PDU Style, 2.5M Power Cord, North America	[450-AEJI] / G0W3NXF	2
PowerEdge 2U Standard Bezel	[325-BCHU][350-BCEY] / GJEZR6N	1	Bezel	PowerEdge 2U Standard Bezel	[325-BCHU][350-BCEY] / GJEZR6N	1
No Quick Sync	[350-BCFB] / GYQDPG6	1	Quick Sync	No Quick Sync	[350-BCFB] / GYQDPG6	1
Power Saving Dell Active Power Controller	[750-AABF] / G06TYXW	1	BIOS and Advanced System Configuration Settings	Power Saving Dell Active Power Controller	[750-AABF] / G06TYXW	1
UEFI BIOS Boot Mode with GPT Partition	[800-BBDM] / GSFTG4Y	1	Advanced System Configurations	UEFI BIOS Boot Mode with GPT Partition	[800-BBDM] / GSFTG4Y	1
ReadyRails Static Rails for 2/4-post Racks	[770-BDZQ] / GR9GZ6S	1	Rack Rails	ReadyRails Static Rails for 2/4-post Racks	[770-BDZQ] / GR9GZ6S	1
No Systems Documentation, No OpenManage DVD Kit	[631-AACK] / GVRYSM7	1	System Documentation	No Systems Documentation, No OpenManage DVD Kit	[631-AACK] / GVRYSM7	1
None			Enabled Virtualization	None		
None			Microsoft SQL Server	None		
NVIDIA Ampere A100, PCIe, 300W, 80GB Passive, Double Wide, Full Height GPU with R750xa Bracket	[490-BHBL] / GLZX9FS	4	GPU/FPGA /Acceleration Cards	NVIDIA Ampere A100, PCIe, 300W, 80GB Passive, Double Wide, Full Height GPU with R750xa Bracket	[490-BHBL] / GLZX9FS	4

SERVICES & SUPPORT

Option	Selection	SKU / Product Code	Quantity			
Basic Next Business Day 36 Months, 36 Month(s)	[709-BBFN] / GH1DGNF	1	Protect your purchase <sup>i</sup> - View Support offers below	Basic Next Business Day 36 Months, 36 Month(s)	[709-BBFN] / GH1DGNF	1
ProSupport and Next Business Day Onsite Service, 36 Month(s)	[865-BBMY] / G4IVZ90	1	Extended Services	ProSupport and Next Business Day Onsite Service, 36 Month(s)	[865-BBMY] / G4IVZ90	1
None			Keep Your Hard Drive for Enterprise Services	None		
None			Keep Your Component for Enterprise Services	None		
None			Dell Services: On-site Diagnosis Service	None		
No Installation	[900-9997] / NOINSTL	1	Enterprise Deployment Services	No Installation	[900-9997] / NOINSTL	1

Also included in this system

The following options and default selections are included with your order.

R750XA Motherboard DAO with Broadcom 5720 Dual Port 1Gb On-Board LOM

Additional Summary Information

Date Created: Mon May 29 2023 11:04:25 GMT+0200 (Central European Summer Time)